

Display energy certificate (DEC)



Active Copley Huddersfield Road Millbrook STALYBRIDGE SK15 3ET	Operational rating	Certificate number:	0530-3519-2822-6625-6406
	B	Valid until:	30 April 2022
		Total useful floor area:	5650.4 square metres

Energy performance operational rating

The building's energy performance operational rating is based on its carbon dioxide (CO₂) emissions for the last year.

It is given a score and an operational rating on a scale from A (lowest emissions) to G (highest emissions).

The typical score for a public building is 100. This typical score gives an operational rating of D.

Score	Operational rating	This building	Typical
0-25	A		
26-50	B	47 B	
51-75	C		
76-100	D		
			100 --
101-125	E		
126-150	F		
150+	G		

Previous operational ratings

Date	Operational rating
May 2021	47 B
May 2020	63 C
May 2019	64 C

Total carbon dioxide (CO₂) emissions

This tells you how much carbon dioxide the building emits. It shows tonnes per year of CO₂.

Date	Electricity	Heating	Renewables
May 2021	243	229	N/A
May 2020	424	349	N/A
May 2019	434	346	N/A

Assessment details

Assessor's name	Jon Cranefield
Employer/Trading name	Digital Energy Ltd
Employer/Trading address	Manchester Science Park, Unit 10 Enterprise House, Lloyd Street North, Manchester, M15 6SE
Assessor's declaration	Not related to the occupier.
Accreditation scheme	CIBSE Certification Limited
Issue date	25 May 2021
Nominated date	1 May 2021

This building's energy use

Energy use	Electricity	Other fuels
Annual energy use (kWh/m ² /year)	78	209
Typical energy use (kWh/m ² /year)	134	534
Energy from renewables	0%	0%